


SBR ROLLER CHAIN  
**CF SERIES**



# SBR ROLLER CHAIN CF SERIES



PROTECT from  
**WATER**



CHROMIUM  
**FREE**

ZEXUS CHAIN Co., Ltd.

# BRAND-NEW CHROMIUM FREE ROLLER CHAIN

Custom formulated CF coating delivering ecological advancement and significant improvements in wear resistance.

Built on the solid foundation of ZEXUS CHAIN Roller Chains original premium quality.



**PROTECT from  
WATER**

Where roller chain is exposed to nature's rugged elements including rain, salt, sun and wind the CF series chain will ensure the longest available service life.




**CHROMIUM  
FREE**

Environmentally Friendly Surface Treatment without trivalent or hexavalent chromium content.

**ZEXUS CHAIN  
Made in Japan  
Pride in High Quality**


# Comparison chart of corrosion resistant

Salt Spray Test™ Results




(\*) Salt Spray Test according to JIS Z 2371

## Chain Dimensions



Chain No.	Dimensions - mm											Average Ultimate Strength kN	Maximum Allowable Load kN	Average Chain Weight kg/m
	Pitch P	Roller		Pin				Plate						
		Width W	Dia. R	Dia. D	Length		Height H	Thick. T						
					L <sub>R</sub>	L <sub>C</sub>	L <sub>1</sub>	L <sub>2</sub>						
ANSI	35	9.525	4.80	*5.08	3.58	12.00	12.90	6.00	6.90	8.90	1.25	10.80	2.48	0.34
	40	12.70	7.95	7.92	3.96	16.50	17.90	8.30	9.60	11.60	1.50	19.10	4.17	0.60
	50	15.875	9.53	10.16	5.08	20.40	22.00	10.20	11.80	14.50	2.00	31.90	7.22	0.98
	60	19.05	12.70	11.91	5.95	25.50	26.90	12.80	14.10	17.40	2.40	43.10	10.70	1.46
	80	25.40	15.88	15.88	7.93	32.80	35.10	16.40	18.70	23.40	3.20	78.50	19.10	2.52
BS	08B	12.70	7.75	8.51	4.45	16.70	18.20	8.40	9.80	11.80	1.50	17.80	3.14	0.61
	10B	15.875	9.65	10.16	5.08	19.00	20.70	9.50	11.20	14.70	1.65	22.20	4.90	0.89
	12B	19.05	11.68	12.07	5.72	22.00	23.60	11.00	12.60	16.10	1.80	28.90	7.06	1.14
	16B	25.40	17.02	15.88	8.26	35.10	38.20	17.60	20.60	21.00	3.20 / 4.00	60.00	16.40	2.59

\*Bushing Dia.  
This coating is available for other kinds of roller chains.



## ZEXUS CHAIN Co., Ltd.

Head Office Shin-Kokusai Building F8,4-1,Marunouchi 3-Chome,Chiyoda-ku,Tokyo 100-0005 Japan  
Phone:+81-3-4214-1921 Facsimile No.:+81-3-4212-3328

<https://www.zexuschain.com/en/>



**Distributor**

**Caution** Caution must be taken where abrasion can cause the surface coating to be removed.